



PATENT ABSTRACTS OF JAPAN

(11)Publication number:

03-001518

(43)Date of publication of application: 08.01.1991

(51)Int.CI.

H01G 9/02

H01G 9/05

(21)Application number: 01-132834

(71)Applicant: NIPPON CHEMICON CORP

(22)Date of filing:

29.05.1989

(72)Inventor: SHIMADA AKIHIRO

OTAKE AKIO


YOKOYAMA YUTAKA

ANDO SUSUMU

(54) SOLID ELECTROLYTIC CAPACITOR

(57)Abstract:

PURPOSE: To obtain glass paper which is large in strength and favorable in product properties so as to offer a solid electrolytic capacitor which is favorable in mass productivity and high frequency properties by blending at least two or more kinds of fine diameter fibers 10-90 parts of 5-8,, and large diameter fiber 90-10 parts of 9-15,, so as to make glass paper. CONSTITUTION: A separator consisting of glass paper is held between an anode foil, which has an surface oxide film by electrolytic oxidation, and a collecting cathode foil, and the glass paper is constituted by blending at least two or more kinds of fine diameter fiber 10-90 parts of 5-8,, and large diameter fiber 90-10 part of 9-15,,. In the lengths of the fine and large diameter fibers of the glass paper are both 5mm-25mm, the basis weight is 5-30g/m2, the density is 0.05-0.25g/cm2, and the thickness is 0.05-0.25mm, they are suitable. Though two or more kinds of fine diameter fibers and large diameter fibers are blended and a binder is added for



adjustment, if the binder is 5–30% polyvinyl alcohol, it is suitable. For a solid electrolytic capacitor, the glass paper 14 is held between the anode foil 10 and the collecting cathode foil 12, and is soaked in liquid–form manganese nitrate, and then it is baked.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration] [Number of appeal against examiner's decision of rejection] [Date of requesting appeal against examiner's decision of rejection] [Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office